

INTERLOCKING FENCES



These Banks Endorse Our Responsibility

FRED REULING, President H. G. DODDS, Vice-Pres. W. R. LACKLAND, Cashier G. E. WILD, } Asst. Cashier
F. W. REULING }

THE MORTON STATE BANK

DIRECTORS
FRED REULING LOUIS ROHLFING
W. R. LACKLAND O. P. REAGAN
H. G. DODDS MICHAEL DYER
G. E. WILD

CAPITAL, \$40,000.00
SURPLUS, \$ 4,000.00

MORTON, ILL., December 1st, 1916


To Whom This May Concern:-

Referring to the Interlocking Fence Company of this City and its 30 day trial offer plan on shipments of fencing, -We are pleased to state that this Company is a Corporation of large capital. The Stockholders being men of large experience and means, reliable in every way, who in all respects can be depended upon to do exactly as promised.

The Company has also deposited with us an approved Bond in the sum of Twenty thousand (\$20,000.00) Dollars to secure the return of purchase money in accordance with the terms of its 30 day trial order plan.

We will gladly accept deposits from those wishing to take advantage of this plan and see that the money is properly applied.

Yours truly



Cashier.



First National Bank

OF EAST PEORIA

HERBERT R. DENNIS, President.
JOS V. GRAFF Vice-President


EUGENE P. WELCHER, A. Cashier,
A. B. CLAUDON, Vice President

EAST PEORIA, ILL., Dec. 2nd, 1914.

To Whom it May Concern:-

We are personally acquainted with the men connected with the Interlocking Fence Co., of Morton, Ill., and can say that they are all aggressive, energetic men of extensive business experience. Their honesty is unquestioned and their financial worth enables them to carry out any contracts that they may make.

Respectfully,


President.

We Ship on 30 Day Trial without Pay

Our Liberal Thirty Days Free Trial Offer

NOTHING can be more simple than our terms. It is our desire to sell you what fence you are needing under the strongest kind of guarantee and the fairest possible terms. So confident are we of the satisfying qualities of our Fences that we give you 30 days' trial before your approval and acceptance. If you find our Fence unsatisfactory after testing it for 30 days, return it to us, letting the freight charges follow, mailing us the railroad company's bill of lading and we will refund every cent of your money, if any money was sent in advance. We put honesty above everything else in the construction of our Fence, and will be just as honest in the selling of it. Do you know of any possible fairer plan?

The \$20,000 Guarantee Bond

FOR your further protection in buying Fence from us on 30 days' free trial, as per our 30 days' trial offer, we have given the Morton State Bank of Morton, Ill., a legally executed bond in the sum of \$20,000 to secure the return of purchase money, should the Fence for any reason not prove satisfactory and be returned.

We want you to know that you are perfectly safe in dealing with us and run no risk of loss whatever. We do this simply to give you every assurance in our power that we will deal fairly and honorably with you.

Our Plan Saves You the Dealers' Profit

WE sell direct from our factory to your farm—the shortest possible route. We make large contracts for material at prices as low as possible, and then manufacture Fence in our own plant and under our own management.

With only a nominal overhead expense for the operation of our factory and business, and being satisfied with a very small profit above our cost, we can sell you our Fences, Gates and Fence Supplies at the remarkable low prices quoted. Thus in dealing with us under this broad and economical plan, you are not paying the jobber, middleman or dealer a combined profit of 20 to 40 %.

Our Guarantee

**Backed by Our Entire
Capital Stock**

WE GUARANTEE every article in this catalogue to be as illustrated and described. WE GUARANTEE every rod of Fence to be satisfactory and further GUARANTEE the quality of our Fence to be as good as any made and to use OPEN HEARTH STEEL GALVANIZED WIRE—the kind government experts have decided is the best and most durable.

If for any reason the purchaser finds the Fence unsatisfactory after testing it, according to our 30 days' Free Trial Offer, we hereby agree to refund the full purchase price and pay the freight on the return shipment both ways.

Should the Interlocking Fence Co., for any reason fail to refund the money for Fence returned according to the 30 days' free trial offer, then the approved bond for \$20,000.00 given to the Morton State Bank, shall be in full force and effect and we hereby authorize them to remit direct to the customer any money paid for said Fence, and to charge said amount to our account, and we by the terms of this bond, obligate ourselves to make good the money returned. Dated this 10th day of June, 1906.



Interlocking Fence Co.

John Gutz PRESIDENT

Ben. Hauber TREASURER

We Guarantee Satisfaction or Refund Your Money

Satisfied Customers Help Build Our Business

WHILE we have hundreds of satisfied customers, and have sold thousands and thousands of rods of Fence direct to the user, this catalogue will be mailed to many, with whom we have never had any dealings. Thus, we realize very fully that it is necessary for you to have confidence in us, as well as our goods, before you will feel that you should place your order with us.

We have some customers that have purchased Fencing from us as much as nine or ten different times, which will plainly indicate that our Fence was satisfactory, as well as that our price was right. One case that should positively convince you, is where a customer purchased Fencing from us twelve different times and said our Fence is far better than others, and the price is about one-half. In his letter Mr. E. W. Powell, Brookeland, Texas, writes:

"Your Fence is far above anything that can be bought here as to quality, and the price about half the price for the same handled by dealers here. Everyone that looks at the Fence says it would be cheap at a much higher price than I paid. I have bought several different times, in all about 1,980 rods. I find it much easier to stretch than others, also find every roll to be full measurement. My farm, four miles west of Brookeland, is about half fenced with your wire and I expect to fence it all in the near future with your Fence."

A \$20,000.00 Bond Fully Protects You

Such letters as are reproduced by banks of good standing, with the \$20,000.00 Indemnifying Guarantee Bond, fully protects you, but with all of this, we permit you to buy what Fence you need, stretch it on your own posts, and if at the end of thirty days' free trial you fail to find the Fence satisfactory, you are permitted to return it to us at our expense. We will refund any money you paid for the Fence and for freight. All we can fairly ask of you is to give us a trial order and to permit us to prove our values in Woven Wire Fence.

You are Protected by the U. S. Government

Were we doing other than as we advertise and agree to do, the Postmaster General would soon deny us the use of the mails, as there never was a time when the postal authorities were so exacting in compelling a strict compliance with every promise by those who solicit the patronage of the people by mail. We solicit your orders strictly upon the superior quality and high grade merits of our Fences and upon our reputation for fair and honorable dealing, and the faithful discharge of every promise or obligation.

A Guarantee Written by Our Customers

Mr. T. I. Oban, Loyalton, S. Dak., a valued customer, can further help convince you that it is safe to deal with us. In one of his letters he says:

"Everything I ordered from you people has proved more than you claim for it. Thanking you for past favors."

Will Last a Life Time

Mr. Wm. W. Davis, Yava, Ariz., writes: Your Fencing has proven to be very satisfactory, and will last a life time in this climate, and if I had the means, I would have everything I have under your fencing, and hope to be able to use a great deal of it in the near future."

Shows No Rust. Good as New

Mr. J. T. Miller, Hickory, N. C., writes: I am sending you an order for 80 rods of No. 45 Junior Crown Fence. I find it the cheapest good fence that I have yet seen. I have some now going on four years and it seems to be as good as it was when I put it up. Does not show any rust yet.

No Better Wire on Market

Mr. Louis Arseneau, Beaverville, Ill., writes: Sending you a check for the wire which I have received and am satisfied and my next order for fence will be the same kind. I think for the price there is no better woven wire on the market.

No Sign of Rust. Purchased 8 or 9 Years Ago

Mr. A. J. Graves, Joelton, Tenn., writes: I have eight different makes of fence on my farm and can say that the Crown fence got of you is decidedly the best I ever put up. The 400 rods got of you six or seven years, is as good as when first built and it was put up on the most uneven ground imaginable. Have had all kinds of stock confined in it, from mules to goats, it turns them all alike; it being impossible to slip the stay wires and not any sign of rust yet.

\$15 Saved on 250 Rods

Mr. Wm. L. LaRue, McAlester, Okla., writes: I just received your wire today and I am well pleased with it. I saved \$15.00 on 250 rods, according to the way our dealers sell their wire.

Leader for Quality and Low Price

Mr. Ben Harris, Pottsville, Ark., writes: I received the wire. I am more than proud of the wire; your wire is a leader for quality and low price. Your No. 42 wire is the best light wire I have ever seen. It unrolls, stretches, and stands up so nice.

Fence of Very Best Quality

Mr. E. D. Herrick, Memphis, Tenn., writes: The Fencing received from your good company has proved most satisfactory. This fence was used as a line fence between neighboring property, dividing pasture land. I have a barb wire stretched at the top and it makes a very handsome and secure fence. It stretched nicely and seems to be of the very best quality, and I want to say that your prices were much better than those quoted me by our Memphis merchants.

It is Easy to Order Fencing From Us

IT is both pleasant and profitable for you to sit down in your own home and order what Fencing material you are needing direct from this bargain book, under our direct from factory-to-user plan. We have a large assortment for you to select from, and you are sure to find a Fence that will please and serve your requirements. You can make your order on any of our order blanks or use any plain sheet of paper. You can use any of the five liberal plans, outlined below, all of which are good for thirty days' trial. This will surely demonstrate to you the confidence we have in our goods, and prove further to you that you run absolutely no risk in ordering from us. Your order will have our careful attention, will be shipped promptly from our large stock and if the Fence fails to please you, you may return it to us at our expense, and we will refund any money you have paid us. We take all the risk.

How to Order Fence

Order by Number

For convenience in ordering we indicate every height of every style fence by number, as shown in lower left hand corner of each illustration. In ordering any height or style of fence it is only necessary to give the number of rods wanted and the style number of the fence, as follows:

100 rods of No. 25
200 rods of No. 40

The number not only indicates the style of fence, but also the height and size of mesh.

Terms and Instructions

Farmers are not rated in Commercial Reports and we therefore have no means at hand of knowing their standing. Should we be favored with references we would necessarily have to write before shipping the goods. To make inquiry regarding the standing of even half our customers would not only require a large increase in our office force, but would result in delayed shipments and unfilled orders on hands. We have therefore adopted five plans of shipment and payment, either of which fully safeguards our own as well as the customer's interests and which avoids any unnecessary work or delay in shipment.

Plan No. 1 Send full amount with order. Very nearly all of our customers order under this plan because their part of the transaction is then completed at one writing. Absolutely no risk is run in sending full amount for you are sure to get your money back if for any reason the fence fails to give satisfaction as our \$20,000.00 Indemnifying Bond fully protects you. Sending full amount with order does not change our guarantee in any respect, as we consider the amount on deposit with us pending the thirty days' trial of the fence. In fact, buying goods of us on this plan is as safe, simple, and easy as purchasing a pound of coffee from your grocer.

Plan No. 2 Send thirty per cent of amount with order and we will draw a sight draft on you through your nearest bank for collection of balance on arrival of goods. Shipments of this kind are commonly called C. O. D. shipments. But very few of our customers order under this plan for by sending full amount with order, as per Plan No. 1, they save the annoyance of going to the bank to pay the balance due on the shipment, and also save the collection fee charged by the bank for handling the draft.

Plan No. 3 Send full amount of bill to the Morton State Bank, Morton, Illinois, to be held by them on deposit pending the 30 days' trial of the fence. (See page 30.)

Plan No. 4 Deposit full amount of bill with your banker, and have him fill out and sign a Certificate of Deposit, showing that amount is to be remitted to us if the fence proves satisfactory after 30 days' trial. Send certificate to us with your order. (See page 30.)

Plan No. 5 Have your banker write us on the regular letter head of the bank, that you are perfectly good for your contracts and that we run no risk of loss, and we will be pleased to ship whatever fence you may need direct to you, to be paid for, if satisfactory, after 30 days' trial. We want you to feel that, even though you send the full amount direct to us, you are sure to get your money back if for any reason the fence fails to give satisfaction and is returned—in fact our \$20,000.00 Bond Guaranty doubly assures you.

Prompt Attention

We acknowledge all orders by postal as soon as received. If you do not receive our acknowledgment promptly, notify us.

Name and Address

Be sure to sign your name to every letter or order, and give name of Town, County and State. We frequently receive letters we cannot answer for want of this.

How to Send Money by Mail

THERE are many people who would like to buy direct from manufacturers, who are not familiar with the easiest and safest methods of making remittances. It is an easy matter, yet sometimes simple things are not well understood. If making the remittances to us, any one of the following methods are safe.

CHECKS.—If you have a checking account at a bank you may send us your personal check if you find it more convenient.

BANK DRAFT.—Pay the money to your Banker and get a Bank Draft payable to us for the amount you wish to send.

REGISTERED LETTERS.—If you cannot get a Bank Draft, Express or Post Office Money Order, send the money in a registered letter. All postmasters are required to register letters whenever requested.

POSTOFFICE MONEY ORDERS.—Pay the money you want to remit to your Postmaster or Rural Route mail carrier, tell him that you want a Money Order, naming amount payable to the Interlocking Fence Co., Morton, Illinois.

EXPRESS MONEY ORDERS.—Express Money Order is secured by paying the amount to your Express agent, who issues and gives you an order payable to us for the amount desired.

It is not necessary to sign a Post Office or Express Money Order, or a Bank Draft made payable to us, nor is it necessary to send in a registered letter for safety. Send under regular two cent postage. No danger of losing your money if sent in either of the above ways, for if the Order or Draft should be lost or destroyed in transit, a duplicate order or draft can be secured.

The cost of Post Office Money Orders or Express Orders is as follows: \$2.50 or under, 3 cents. Over \$2.50 and not exceeding \$5.00, 5 cents. Over \$5.00 and not exceeding \$10.00, 8 cents. Over \$10.00 and not exceeding \$20.00, 10 cents. Over \$20.00 and not exceeding \$30.00, 12 cents. Over \$30.00 and not exceeding \$40.00, 15 cents. Over \$40.00 and not exceeding \$50.00, 18 cents. Over \$50.00 and not exceeding \$60.00, 20 cents. Over \$60.00 and not exceeding \$70.00, 25 cents. Over \$75.00 and not exceeding \$100.00, 30 cents. Bank Drafts cost from 10 to 25 cents, depending upon the amount.

Our Fences Ready to Erect

All of the Fences shown in our catalogue are already woven, neatly wrapped in rolls and ready to put up when you receive the shipment. The neat compact rolls make it convenient to handle and haul home from the railroad station. The Fence unrolls very neatly and easily.

Barbed Wire

The prices quoted on Fence do not include the barbed wire shown above the fabric. For prices on barbed wire see page 22.

Order Even Length Rolls

It will save delay and enable us to ship your order promptly from stock if you specify the size rolls advertised and listed below each fabric. Since all field fence is made in rolls as small as 10 rods each, and poultry fence in rolls as small as 5 rods each, you will never be over much fence. Besides a small piece of fence is always useful on the farm and is never wasted.


You Run No Risk

You can send your money direct to us or deposit it with a bank, with the absolute certainty that you will get every cent back, without question or quibbling, if for any reason you are not satisfied and pleased with the fence and it is returned as per our guarantee.

WE MUST BE FAIR. A great deal of our business comes to us from the recommendation of our customers to their friends and acquaintances. That is why we cannot afford to have a dissatisfied customer. That is why we must live up to our "money back" offer if for any reason the fence fails to give satisfaction.

Make Orders Brief


Do not order fence in the middle of a long letter. Orders and letters are attended to by different clerks in our office. Make out your order by itself, and if you wish to write anything, do so on a separate sheet.



47-inch Crown Fence

Construction: Two No. 9 margin wires, eight No. 12 line wires and No. 12 1/2 stay wires, all Open Hearth steel, heavily galvanized. Spacing between the line wires, 3, 3 1/2, 4, 4 1/2, 5 1/4, 5 3/4, 6, 7 and 8 inches. Stay wires 6 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods 1,025 pounds.

55 Cent
a Rod



Our Wonderful Twist

Open Hearth Steel Makes Best Fence


All of our Fences are woven from Basic Stock Open Hearth steel wire, heavily covered with good galvanizing. The chemistry of Basic Open Hearth Steel Wire is defined in U. S. Dept. of Agriculture Bulletin No. 239, page 12, which states that:

"Phosphorus and sulphur both have a deleterious effect upon steel, reducing the ductility and making the metal brittle. Pig iron is melted in large basin-shaped furnaces in which the carbon is burned out by the play of hot air over the surface of the molten mass, while at the same time the acid-forming impurities, such as phosphorus and silicon, are absorbed by the basic lining of the furnace, which is usually made of a rock material found in nature, consisting of carbonate of lime and magnesia, and known as 'Dolomite.'"

By our process of manufacture the stay and line wires are twisted together by a right and left twist—the strongest that can be made use of in any woven wire fence. The twist in no way injures the galvanizing of the Fence, in fact it has been noticed that the galvanizing around the wires in the twist will quite often last longer than that on the plain untwisted wire.

Line Wires Braced Every Four Inches

In our six inch stay Fences the line wires are braced practically every four inches, insuring a stiff and durable Fence.



39-inch Crown Fence

Construction: Two No. 9 margin wires, seven No. 12 line wires and No. 12 1/2 stay wires, all Open Hearth steel, heavily galvanized. Stay wires 6 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 900 pounds.


49 Cent
a Rod

NO. 9

NO. 12

NO. 12 1/2

Above illustrations show size of margin, line and stay wires used in our Crown Fences.



32-inch Crown Fence

Construction: Two No. 9 margin wires, six No. 12 line wires and No. 12 1/2 stay wires, all Open Hearth steel, heavily galvanized. Spacing between the line wires, 3, 3 1/2, 4, 4 1/2, 5 1/4, 5 3/4, and 6 inches. Stay wires 6 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 800 pounds.

42 1/2 Cents
a Rod

Why Crown Fence is Superior

First.—The Crown Fence is a first class square mesh fence in every particular, all of the wires of which it is made being Open Hearth Steel wire, heavily galvanized.

Second.—The stay wire is continuous from top to bottom of the fence and intertwisted with the line wires in staggered form, thus supporting the line wires twice as often as in other similar mesh fences.


Third.—The intertwisting of the stay and intermediate line wires by the right and left twists, half of each twist being the reverse of the other half, makes it a very stiff fence, and increases its strength and durability.

Fourth.—The stays cannot slip up, down or side-wise, nor can the line wires slip in any way. Both stay and line wires remain exactly where they are placed in the process of manufacture.

Fifth.—No loose ends of the stays to unwind or exposed so as to cause rust and corrosion. For the length of the twist it doubles the strength of the line wires, making it one of the strongest twists ever made use of in a square mesh woven wire fence.

Raise Hogs For Profit

With the high market prices of hogs, present shipping facilities and the latest scientific methods of fattening hogs quickly, there is big money in hog raising. The fortunes of many farmers must be credited almost entirely to the raising of hogs. Statistics show that in the United States alone, principally in the central states, there are nearly 65,000,000 hogs. The Fences we offer you here make real Hog Fences and give complete protection.



26-inch Crown Fence

Construction: Two No. 9 margin wires, five No. 12 line wires and No. 12 1/2 stay wires, all Open Hearth steel, heavily galvanized. Stay wires 6 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 700 pounds.


37 Cents
a Rod

NO.9

NO.12

NO 12 1/2

Above illustrations show size of margin, line and stay wires used in our Crown Fences.



47-inch Crown Fence

Construction: Two No. 9 margin wires, eight No. 12 line wires and No. 12½ stay wires, all Open Hearth steel, heavily galvanized. Spacing between the line wires, 3, 3½, 4, 4½, 5¼, 5½, 6, 7 and 8 inches. Stay wires 12 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods 800 pounds.

43 Cents a Rod

Galvanizing

Wire used in the manufacture of Fence goes through many processes before it reaches your farm.

The best ores in this country contain so many impure elements that it is necessary to highly heat them in large blast furnaces, which you may have seen or heard about, to separate the elements and produce pig iron. Pig iron is formed into ingots and billets, then heated and drawn into rods. Rods are submerged into solution of hot sulphuric acid for the purpose of removing all scale and impurities. They are then thoroughly washed in clean cold water and given a lime coating.

Rods are then drawn to the finer sizes used in the manufacture of Fences and again run through a highly heated furnace to be perfectly annealed. The speed at which the wire passes through the furnace regulates the degree of temper. If it travels slowly, the wire will be soft; and if rapidly it will be hard. They are drawn through a muriatic acid solution to remove any remaining impurities, into the galvanizing vat. The galvanizing vat contains hot spelter (zinc) and here it depends on how long your wire is going to last and how closely the galvanizing is wiped by the asbestos wipers.

We therefore use a good, heavy galvanized wire in the manufacture of our Fence, making our fabric as near rust-proof as any made.


We do not promise to sell you either a rust-proof nor double galvanized Fence because such is impossible.

The test of time is the right and best proof. Simply read what some of our customers have to say.

Use This Galvanizing Test

Any customer that desires to invest money in Fencing and convince themselves that our fence is as near rust-proof as any of the advertised pure zinc covered or double galvanized fence, may take the following test:

Purchase 2 ounces of common blue vitriol, commercial strength, pound fine and mix with ½ pint cold water. Let stand until dissolved, about 30 minutes. Then dip the wire in the solution, along side with the wire you are testing and hold there for one minute. Remove the wires and wipe them perfectly dry. Repeat this dipping wiping until the wire shows a copper color which will indicate the galvanizing has been eaten off. Good galvanized wire should stand three of these one minute tests before showing copper color.



39-inch Crown Fence

Construction: Two No. 9 margin wires, seven No. 12 line wires and No. 12½ stay wires, all Open Hearth steel, heavily galvanized. Stay wires 12 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 700 pounds.


38 Cents a Rod

NO. 9

NO. 12

NO. 12½

Above illustrations show size of margin, line and stay wires used in our Crown Fences.



32-inch Crown Fence

Construction: Two No. 9 margin wires, six No. 12 line wires and No. 12½ stay wires, all Open Hearth steel, heavily galvanized. Stay wires 12 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 625 pounds.

33³/₄ Cents a Rod

Valuable Farm Fences

The Fences shown on this and the three preceding pages are exceptional values in Farm and Hog Fences. We sell many thousands of rods of these styles. You, also, would be well pleased with them and find them to be a good investment on your money.

Heights of Fence

The spacing between the line wires and the heights of our fences are given as our looms make them. The spring in the wire is sometimes sufficient to slightly narrow the space between the line wires as well as to narrow the fabric a little in stretching so that when erected the height may not be the exact height given. This is true of other fences, yet but few manufacturers mention it.

No Slipping of Stay Wires on the Line Wires

It is absolutely impossible to slip the stay wires on the line wires in our Crown Fence.

Expansion and Contraction


The margin wires and the tension curves throughout the entire length of the line wires in our Fences, amply provide for expansion and contraction and keep the fence tight at all times in all climates.

Why Mesh Wires Rust

In all mesh wire fences where the necessarily small mesh wires are wrapped or twisted bodily around the line wires it is necessary to wind the mesh wire on small spools and in coming off the spools it passes through a small opening in a cast iron or steel plate. The winding on small spools and the necessity of it passing through the small hole as it comes off the spool has a tendency to crack and peel off the galvanized coating and wherever this is done the wire soon begins to rust. In our Crown Fence it is not necessary to spool the mesh wire at all and therefore nothing to crack or scale off galvanizing coat. Quite an item when considering the durability and lasting qualities of the fence.

Patents on Fence

The Interlocking and Crown Fences are fully covered by U. S. patents, which we own, thus fully protecting our customers from any liability of infringement.



26-inch Crown Fence

Construction: Two No. 9 margin wires, five No. 12 line wires and No. 12½ stay wires, all Open Hearth steel, heavily galvanized. Stay wires 12 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 575 pounds.


30 Cents a Rod

NO.9

NO.12

NO.12½


Above illustrations show size of margin, line and stay wires, used in our Crown Fences



47-inch Junior Crown Fence

Construction: Two No. 11 margin wires, eight No. 14 line wires and No. 14 stay wires, all Open Hearth steel, heavily galvanized. Spacing between the line wires 3, 3 1/2, 4, 4 1/2, 5 1/4, 6, 7 and 8 inches. Stay wires 6 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 650 pounds.


38 Cents
a Rod



39-inch Junior Crown Fence

Construction: Two No. 11 margin wires, seven No. 14 line wires and No. 14 stay wires. Open Hearth steel, galvanized. Stays 6 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 575 pounds.


34 Cents
a Rod



32-inch Junior Crown Fence

Construction: Two No. 11 margin wires, six No. 14 line wires and No. 14 stays. Open Hearth steel, galvanized. Stays 6 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 525 pounds.

28 Cents
a Rod



26-inch Junior Crown Fence

Construction: Two No. 11 margin wires, five No. 14 line wires and No. 14 stay wires. Open Hearth steel, heavily galvanized. Stays 6 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 450 pounds.

24 Cents
a Rod

An Economical Farm Fence

Our Junior Crown Fences in both the 6 and 12-in. stay patterns have proved very popular. Many prominent and careful, thinking farmers prefer these Fences to the heavier styles. These Fences are both substantial and strong and are wonderful bargains for the prices we ask. Being possible to buy such Fences at these low prices, it will pay you to divide and subdivide your fields and pastures, so that when the crop is harvested, you can turn your stock from one field into the other, and thereby profit on the grain and feed that is left in the field, which is impossible to gather, and from the grass and forage which always grows. You should order at least a few rolls of this Fence for a trial, when you will be convinced that it makes a very good Fence.

Our \$20,000.00 Guarantee Bond fully protects you and our liberal terms make it easy for you to order direct, at our Factory-to-user prices.

Pleased With Kind and Honest Treatment

Mr. E. D. Lapham, Enumclaw, Wash., writes: Fencing is perfectly satisfactory in every way, and I thank you very much for you

Well Pleased With His Car of Wire

Mr. J. E. Manly, Drummond, Mont., writes: I am well pleased with the last car of wire received from you, both as to price and quality.

Pleased With Quality and Price


Mr. Merrill V. Nipps, Eldorado Springs, Mo., writes: I am very much pleased with wire which I received from you both on account of the low price and the quality. I have never seen fence stretch up better than yours. I can stand up on the mesh between the posts and it does not give an inch.

NO.11

NO.14

NO.14


Above illustrations show size of margin, line and stay wires used in our Junior Crown Fences.



47-inch Junior Crown Fence

Construction: Two No. 11 margin wires, eight No. 14 line wires and No. 14 stay wires, all Open Hearth steel, heavily galvanized. Spacing between the line wires, 3, 3 1/2, 4, 4 1/2, 5 1/4, 5 3/4, 6, 7 and 8 inches. Stay wires 12 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 500 pounds.


27 1/4 Cents a Rod



39-inch Junior Crown Fence

Construction: Two No. 11 margin wires, seven No. 14 line wires and No. 14 stay wires, all Open Hearth steel, galvanized. Stays 12 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 450 pounds.


25 1/2 Cents a Rod



32-inch Junior Crown Fence

Construction: Two No. 11 margin wires, six No. 14 line wires and No. 14 stay wires. Open Hearth steel, galvanized. Stays 12 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 400 pounds.

23 Cents a Rod



26-inch Junior Crown Fence

Construction: Two No. 11 margin wires, five No. 14 line wires and No. 14 stay wires. Open Hearth steel, galvanized. Stays 12 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 350 pounds.

19 Cents a Rod

Test the Galvanizing

Do not pay anyone more money for a so-called double galvanized wire. Give our Fence the galvanizing test, outlined on page 6, which costs you only a few cents, and be convinced our fences are as near rust proof as any. You will save money at our factory prices.

Dealing With Us Is Saving Money

Mr. John F. Fisher, Wauneta, Nebr., writes: Fence and gates all reached me in good shape and I am well pleased and feel satisfied. I made money by dealing with you and when in need of more fencing I expect to send orders to you.

Purchased 800 Rods of the 26-in. Fencing

Mr. A. H. Tillson, Morris, N. Y., writes: We are much pleased with the fencing we received last year. We expect to order more fencing each year and thus in time to have good fences on our entire farm.

Purchased 700 Rods of No. 45; Thinks It an

"All Right Fence"

Mr. John W. Poler, Takoma Park, D. C., writes: If you made an inferior fence you would not have had my business, but as it is an "all right fence" you will continue to sell me all that I may need.

Weights of Fence


Our weights were obtained from taking the average of several hundred rolls of each style and height. Wire is made by drawing a steel rod through a hole in a steel die, each draft reducing the wire until the desired size is obtained. By this process the hole in the die is gradually worn, resulting in a very slight variation in size of the wire yet sufficient to sometimes change by a few pounds the weight of a 20 or 40 rod roll of fence. For this reason we do not guarantee weights to be correct, but they are approximately so.

NO. 11

NO. 14

NO. 14


Above illustrations show size of margin, line and stay wires used in our Junior Crown Fences.



26-inch Crown Special Hog Fence

Construction: One No. 11 top margin, one barbed bottom margin, five No. 14 line wires, and No. 14 stay wires, all drawn from Open Hearth steel, heavily galvanized. The two-point bottom barbed wire is made from No. 14 wires with barbs placed 3 inches apart. Spacing of the line wires is 3, 3½, 4, 4½, 5¼ and 5¾ inches. Stays 6 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 450 lbs.

25 Cents a Rod




26-inch Crown Special Farm Fence

Construction: One No. 11 top margin, one barbed bottom margin, five No. 14 line wires and No. 14 stay wires, all drawn from Open Hearth steel, heavily galvanized. The two-point bottom barbed wire is made from No. 14 wires with barbs placed 3 inches apart. Stays 12 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 350 pounds.

20½ Cents a Rod

OUR BARBED WIRE BOTTOM Crown Special Hog Fences


These barbed wire bottom hog fences have proven very popular for customers desiring a barbed wire woven right in the bottom of the fabric. The hogs will not root through beneath these barbed wire bottom fences as readily as though there was simply a smooth wire at the bottom. On account of the scientific design of these Crown square mesh fences, whereby the stay wires are continuous from top to bottom of the fence, interwoven with the line wires, these fences are especially adapted to their purpose to turn hogs. It is absolutely impossible to slip the stay wires on the line wires, making the fence very valuable. In the 6 inch stay Fences you really get line wires braced practically every four inches, making a stiff, firm and rigid Fence. Especially the 6 inch stay Fences are very satisfactory and serviceable. Be sure to include one or two rolls of this Fence in your order.



32-inch Crown Special Hog Fence

Construction: One No. 11 top margin, one barbed bottom margin, six No. 14 line wires, No. 14 stay wires, all drawn from Open Hearth steel, heavily galvanized. The two-point bottom barbed wire is made from No. 14 wires with barbs 3 inches apart. Stays placed 6 inches apart. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 525 lbs.


29 Cents a Rod



60-inch Crown Poultry Fence

Construction: Two No. 11 margin wires, seventeen No. 14 line wires and No. 14 stay wires, all Open Hearth steel, heavily galvanized. Spacing between the line wires, $1\frac{1}{2}$, $1\frac{1}{2}$, $1\frac{1}{2}$, $1\frac{3}{4}$, $1\frac{3}{4}$, 2, $2\frac{1}{2}$, $2\frac{3}{4}$, $3\frac{1}{4}$, $3\frac{3}{4}$, 4, $4\frac{1}{2}$, $4\frac{1}{2}$, $4\frac{3}{4}$, $4\frac{3}{4}$, 5, 5, 5 and 5 inches. Stays 6 inches. 10 and 20 rod rolls. Weight of 100 rods, 1,000 pounds.

55 Cents a Rod



30-inch Crown Poultry Fence

Construction: No. 11 margin wires, No. 14 line wires and stay wires, all Open Hearth steel, heavily galvanized. Stays 6 inches apart. 10 and 20 rod rolls. Weight of 100 rods 750 pounds.


40 Cents a Rod

There is Money in Poultry

The savings, made from the raising of poultry, have purchased needed improvements in many homes and farms. Statistics show there are nearly \$553,000,000 worth of poultry in the United States alone. You should therefore protect your poultry by using our Fence.

An Exceptional Value in Poultry Fence

Our Crown Poultry Fence is superior to any similar weight fence on the market. It can be used for almost any purpose. The spacing between the line wires is close enough to turn everything except the smallest chicks. The stay wires being continuous from top to bottom, interwoven with the line wires and bracing the line wires every four or five inches, makes the fabric very stiff, requiring few posts to support it. The wires cannot slip or get loose, nor can they spread apart. There is not a poultry fence offered on the market today made from similar size wires that is as serviceable, stiff or strong.



50-inch Crown Poultry Fence

Construction: Two No. 11 margin wires, fifteen No. 14 line wires and No. 14 stay wires, all Open Hearth steel, heavily galvanized. Stays 6 inches apart. 10 and 20 rod rolls. Weight of 100 rods, 900 pounds.


48 Cents a Rod

NO. 11

NO. 14

NO. 14

Above illustrations show size of margin, line and stay wires used in our Crown Poultry Fences.



47-inch Giant Perfection Farm Fence

Construction: The top, bottom, line and stay wires are all No. 9 gauge, all high quality Open Hearth steel, heavily galvanized, stays spaced 6 inches apart (32 to the rod). The high carbon steel wires with the tension curves, keep the Fence tight at all times. Spacing between the line wires 3, 3 1/2, 4, 4 1/2, 5 1/4, 5 3/4, 6, 7 and 8 inches. Put up in 10, 20 and 30 rod rolls. Weight of 100 rods 1,970 pounds.

\$1.07
a Rod



39-inch Giant Perfection Farm Fence

Construction: The top, bottom, line and stay wires all No. 9 gauge, stays spaced 6 inches apart (32 to the rod). Put up in 10, 20 and 30 rod rolls. Weight of 100 rods, 1,675 pounds.


94 Cents
a Rod

All No. 9 Stock Fences

For an all-purpose Fence that gives complete protection, even against the most vicious animals, we recommend our Giant Perfection stiff stay farm Fences. They make excellent Fences for enclosing barn yards.

The stays are spaced close enough to turn hogs, and they are manufactured high enough to turn all kinds of stock. The back-bone and life of a good Fence is a stiff, rigid stay wire.

OUR LIBERAL SELLING TERMS AND FREE TRIAL OFFER WILL MAKE IT EASY FOR YOU TO TRY SOME OF THESE FENCES AND BE CONVINCED AS TO THEIR QUALITY AND SUPERIOR CONSTRUCTION.



32-inch Giant Perfection Farm Fence

Construction: The top, bottom, line and stay wires all No. 9 gauge, stays spaced 6 inches apart (32 to the rod). Put up in 10, 20 and 30 rod rolls. Weight of 100 rods 1,460 pounds.

80 Cents
a Rod

It Pays to Put up Good Fences


Many farmers prefer a heavy Fence and would rather invest more money in the beginning, figuring that a saving in time in putting up other Fences will help to overcome the first cost. These Giant Perfection Fences are admirably adapted for barnyards, where stock or horses are closely ranged and where a particularly heavy Fence is needed.

Crown Fence Beats All Other Makes

Mr. Ike Hudnall, Milan, Mo., writes: I have received the 20 rods of Junior Crown fence No. 40 in good condition and am well pleased with same. I find it to be just as you claimed it to be. I have lots of wire fence on my farm but the Junior Crown fence beats them all for a good, cheap fence. It is the easiest fence to stretch I have ever handled. I thank you very much for your prompt attention given my order.

Appreciates Our Promptness

Mr. E. G. Hazebrigg, Davenport, Okla., writes: The fence I ordered was received all O. K. Am very well pleased with it. Thanks for your promptness in filling the order.



26-inch Giant Perfection Farm Fence

Construction: The top, bottom, line and stay wires all No. 9 gauge, stays spaced 6 inches apart (32 to the rod). Put up in 10, 20 and 30 rod rolls. Weight of 100 rods 1,260 pounds.

68 Cents
a Rod

NO.9


NO.9

NO.9

Above illustrations show size of margin, line and stay wires in our Giant Perfection Fences.

55 INCHES

6 INCH MESH




55-inch Perfection Farm Fence

Construction: The top and bottom wires are No. 9 gauge, intermediate line wires No. 12, stay wires No. 12, spaced 6 inches apart, (32 to the rod). All high quality Open Hearth steel wire, heavily galvanized. The high carbon steel wires with the tension curves, keep the Fence tight at all times. Spacing between the line wires 3, 3 1/2, 4, 4 1/2, 5, 5 1/2, 6, 7, 8 and 9 in. Put up in 10, 20 and 40 rod rolls. Wt. of 100 rods, 1,290 lbs.

74 Cents
a Rod

47 INCHES

6 INCH MESH




47-inch "Perfection" Farm Fence

Construction: The top and bottom wires are No. 9, intermediate line wires No. 12, stay wires No. 12, spaced 6 inches apart (32 to the rod). Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 1,100 pounds.

62 1/2 Cents
a Rod

26 INCHES

6 INCH MESH




26-inch "Perfection" Farm Fence

Construction: Top and bottom wires No. 9, intermediate line wires No. 12, stay wires No. 12, spaced 6 inches apart (32 to the rod). Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 734 pounds.

41 Cents
a Rod

39 INCHES

6 INCH MESH




39-inch "Perfection" Farm Fence

Construction: The top and bottom wires are No. 9, intermediate line wires No. 12, stay wires No. 12, spaced 6 inches apart, (32 to the rod). Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 1,000 pounds.

55 1/2 Cents
a Rod

32 INCHES

6 INCH MESH



32-inch "Perfection" Farm Fence

Construction: Top and bottom wires No. 9, intermediate line wires No. 12, stay wires No. 12, spaced 6 inches apart (32 to the rod). Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 850 pounds.

48 Cents
a Rod

"The Direct Plan Most Profitable"

If you could haul your oats and wheat direct to the large rolling mills, or your corn to the distilleries, wouldn't you get higher prices? There can be no more direct route than getting your Fencing direct from the manufacturer. You then save the middle-man's profit—15 to 30 per cent. Do not expect your dealer to meet our prices and still furnish you a similar quality of Fencing. Personal relations between yourself and dealer should not prevent you from ordering direct from us. When it is to your disadvantage to do otherwise. No article is ever better or brighter than when it leaves the factory.

This Dealer Approves of Our Fence

Mr. Geo. Parsons, Cabot, Ark., writes:


"Received the Wire all O. K. The Wire looks good to me and you will hear from me again. I showed the Wire to a dealer here and he thought it was all-right."

NO.9

NO.12


NO.12

Above illustrations show sizes of margin, line and stay wires used in our Perfection Farm Fences




55-inch "Perfection" Farm Fence
Construction: The top and bottom wires are No. 9 gauge, intermediate line wires No. 12, stay wires No. 12, spaced 12 inches apart, (16 to the rod,) all Open Hearth steel, heavily galvanized. The high carbon steel wires with the tension curves, keep the Fence tight at all times. Spacing of the line wires 3, 3½, 4, 4½, 5¼, 5¾, 6, 7, and 8 inches. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 965 pounds.

55 Cents a Rod



47-inch "Perfection" Farm Fence
Construction: The top and bottom wires are No. 9 gauge, intermediate line wires No. 12, stay wires No. 12, spaced 12 inches apart, (16 to the rod.) Put up in 10, 20 and 40 rod rolls. Weight of 100 rods 840 pounds.


46 Cents a Rod



26-inch "Perfection" Farm Fence


Construction: Top and bottom wires No. 9, intermediate line wires No. 12, stay wires No. 12, spaced 12 inches apart, (16 to the rod.) Put up in 10, 20 and 40 rod rolls. Weight of 100 rods 580 pounds.

31 Cents a Rod



39-inch "Perfection" Farm Fence
Construction: The top and bottom wires No. 9, intermediate line wires No. 12, stay wires No. 12, spaced 12 inches apart (16 to the rod.) Put up in 10, 20 and 40 rod rolls. Weight of 100 rods 760 pounds.

41 Cents a Rod



32-inch "Perfection" Farm Fence
Construction: Top and bottom wires No. 9, intermediate line wires No. 12, stay wires No. 12, spaced 12 inches apart (16 to the rod.) Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 670 pounds.

36½ Cents a Rod

Our Guarantee

The strong Guarantee, reproduced on page one, fully assures you that our Fence must be satisfactory to you, otherwise your money will be refunded.

Tensile Strength of Wire

Below we give the approximate average breaking strains of tensile resistances of wire manufactured from different classes of steel as used in the manufacture of wire fence. The resistance is given in tons per square inch of sectional area.

Black Annealed wire.....25 tons
Open Hearth steel wire.....40 tons

Open Hearth steel wire is used exclusively in the manufacture of our fences.

Useful Information

To enclose 1 square section requires 1.280 rods
To enclose ¼ square section requires 3 miles of fence... 960 rods
To enclose ¼ square section requires 2 miles of fence... 640 rods
To enclose 80 acres requires 1½ miles of fence..... 480 rods
To enclose 40 acres requires 1 mile of fence..... 320 rods
To enclose 20 acres requires ½ mile of fence..... 240 rods
To enclose 10 acres requires ¼ mile of fence..... 160 rods
To enclose 5 acres requires ⅓ mile of fence..... 120 rods
5½ yards—1 rod.
16½ feet—1 rod.
320 rods—1 mile.

Sold Direct to the Farmer for Years

Our Fence has been sold direct to the farmer for years and the size of our business today, where we cannot put our office into what was once the factory, machine-shop and warehouse, will not only prove that our Fence has satisfied our customers but the treatment we have rendered has helped to increase our business. We have lived here for years, practically everybody knows us and knew our fathers before us, who set a high standard for us to live by. Write to any Public Officer, Editor, Lodge, or bank in the city if you desire further protection.

NO. 9


NO. 12

NO. 12

Above illustrations show sizes of margin-line and stay wires used in our Perfection Farm Fences

47 INCHES


6 INCH MESH



47-inch "Perfection" Economy Farm Fence

Construction: Top and bottom wires No. 10 gauge, intermediate line wires No. 13, stay wires No. 13, spaced 6 inches apart, (32 to the rod). All Open Hearth steel, heavily galvanized. The high carbon steel wires having tension curves, keep the Fence tight at all times. Spacing of the line wires 3, 3 1/2, 4, 4 1/2, 5 1/4, 5 3/4, 6, 7 and 8 inches. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 830 pounds.

48 Cents a Rod



32-inch "Perfection Economy" Farm Fence

Construction: Top and bottom wires No. 10, intermediate line wires No. 13, stay wires No. 13, spaced 6 inches apart, (32 to the rod). Put up in 10, 20 and 40 rod rolls. Weight of 100 rods 660 pounds.

39 Cents a Rod

High in Quality—Low in Price

Our "Perfection Economy" Farm Fences make good and serviceable farm and stock fences. They are all woven from a good quality of Open Hearth steel, high carbon, heavily galvanized wire. Our direct selling plan saves you the dealer's profit.

Guarantee Safe Delivery

You take no chances whatever in ordering fence of us. We assume all the risk, and not only guarantee safe delivery at your railroad station, but also guarantee the fence in every respect.

Sent Free to Anyone

Our catalogue containing these low prices is mailed to anyone for the asking. If you have a friend or a neighbor you would like to see save money on his purchase, send us his name so a copy can be mailed free.

Prompt Shipments


We are generally prepared to make prompt shipments, but delays in transit are possible. It is therefore best to order fence a little in advance of the time you actually want to use it, and thus avoid any disappointment.

Goats Do Not Get Caught

Mr. Carl Maasz, Leavenworth, Kans., writes: I am well pleased with your Diamond Mesh fence for goats or sheep. They don't get caught in this make as they would in any other make. I will say there is nothing better in the market.

Exactly As We Said

Mr. Wm. Faichney, Peoria, Ill., writes: I got the wire and have it up and like it very much, and it is exactly as you said.



26-inch "Perfection Economy" Farm Fence

Construction: Top and bottom wires No. 10, intermediate line wires No. 13, stay wires No. 13, spaced 6 inches apart, (32 to the rod). Put up in 10, 20 and 40 rod rolls. Weight of 100 rods 570 pounds.

35 Cents a Rod

How Posts Should Be Set


Care should be exercised in setting corner, end and gate posts. They should square eight inches and should be set in ground four feet. Take care to set the line posts perpendicularly and from 2 1/2 to 3 feet in the ground. The interlocking fences will remain straight and give perfect satisfaction if posts are set 32 feet apart, but for best results they should be set from 16 to 20 feet apart.

NO. 10

NO. 13

NO. 13


Above illustrations show sizes of margin, line and stay wires used in Perfection Economy Fences.



47-inch "Perfection Economy" Farm Fence

Construction: Top and bottom wires are No. 10 gauge, the intermediate line wires No. 13, stay wires No. 13, spaced 12 inches apart, (16 to the rod). All Open Hearth steel, heavily galvanized. The high carbon steel wires having tension curves, keep the Fence tight at all times. The spacing of the line wires 3, 3 1/2, 4, 4 1/2, 5 1/4, 5 1/2, 6, 7 and 8 inches. Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 630 pounds.


38 Cents a Rod



32-inch "Perfection Economy" Farm Fence

Construction: Top and bottom wires are No. 10, the intermediate line wires No. 13, stay wires No. 13, spaced 12 inches apart, (16 to the rod). Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 510 pounds.

31 Cents a Rod



26-inch "Perfection Economy" Farm Fence

Construction: Top and bottom wires No. 10, intermediate line wires No. 13, stay wires No. 13, spaced 12 inches apart, (16 to the rod). Put up in 10, 20 and 40 rod rolls. Weight of 100 rods, 450 pounds.

27 Cents a Rod

Quick Delivery Pleases Mr. Sager

Mr. L. V. Sager, Pinellas Park, Fla., writes: My four rolls of No. 45 Fence arrived and am perfectly satisfied, being just as represented. Thanking you for your quick delivery of same and wishing your firm future success.

After All is Said and the Fence is Up

It is not statements nor claims that you want but facts. The test of time, and experience of honest, impartial farmers is the best proof. Read what a few of them have to say.

Our Honest Business is Appreciated

Mr. Hans G. Erickson, Silverhill, Ala., writes: I appreciate your honest business way and I assure you to have all my business in the future.

Entirely Satisfactory: Will Order More

Green Bros., Benchley, Texas, writes: The Fence is entirely satisfactory and you can expect an order in the future as we contemplate fencing 200 acres this fall.

Anyone Can Afford Our Fence

Mr. C. E. Sheffey, Oxford, Nebr., writes: Fencing came promptly and is satisfactory and at a price one can afford to pay.

The Twist We Use Is Just Right

Mr. J. W. Alberry, Seneca, Nebr., writes: The 80 rods of hog Fence, No. 43, came through in good shape. I think the twist you use is just right. We will do quite a bit of fencing and will surely use your wire. My neighbors are pleased with it too. Think you will get some sales through this wire.

Ideal Fence for Sheep

Mr. Chas. E. McFadden, Morland, Kans., writes: I received 320 rods of this light fencing and think it all O. K. I handle sheep and this is an ideal sheep fence. I am fencing a section this spring with this fence.

Best Fence Mr. Weber Ever Bought


Mr. C. M. Weber, Waycross, Ga., writes: I wish to state that the fence is the best fence I ever bought anywhere and am well pleased with it.

NO. 10

NO. 13

NO. 13

Interlocking Stretcher




Our stretcher is made of malleable iron, strong enough to stand the most severe strain. In use the stretcher is attached to an anchor post and not to post set for the purpose. This is in every case the best way as it not only forms an absolutely firm attachment for the stretcher, but at the same time draws the anchor post firmly against the brace before the fence is attached to it.

Weight 50 pounds.

How to Use the Interlocking Stretcher

In using the Stretcher pass the chain through the clevis on the draw-bar and around the end of the anchor post, locking the chain by placing the hook over one of the links, the stretcher operating to better advantage if the draw-bar is passed through the first or second mesh of the fence, in advance of the clamp-bar. The clamp-bar is fastened to the fence so that the iron portion thereof is next to the draw-bar and is clamped to the fence as far back from the clevis on the draw-bar as possible, then placing the sleeves to which the lever and pawls are attached on the draw-bar so that the hook of the sleeve engages the clamp-bar.



Giant Fence Stretcher

Price
\$5.95


Description

It is especially adapted for our Giant Perfection Crown Fences. It is especially adapted for our Giant Perfection Crown Fences. It is especially adapted for our Giant Perfection Crown Fences.

As a Hoist, this tool takes the place of a block and tackle, and is useful for pulling pipe out of wells, pulling up stumps, lifting wagon boxes, sick horses, skinning a beef, moving safes and machines and many other uses about the farm and elsewhere.

The Stretcher weighs only 47 pounds and has eight and one-half feet of the best "BF" proof-tested chain.

It is made of the best malleable iron casting. It has a corrugated hard wood clamp—permits absolutely no chance whatever for the fence to buckle and slip. It is easily operated.




Price each

55c

The Interlocking Splicer

It is a wire splicer, staple puller and hammer combined and one of the handiest tools you can have about the farm. It is not only the best but a combination tool of great utility. Made of high grade malleable iron.



Price each, 80c

Can't Slip Wire Stretcher

Works easily and rapidly and stretches wire to the last post. It has the required grip but does not injure galvanizing on the wire. It can be operated by one man. Can be used either as a wire stretcher or staple puller. Simple as a pair of tongs.

Barbed Wire



Special Barbed Wire 2-Point

Our Special Barbed Wire is made of No. 14 Heavily Galvanized Open Hearth Steel Wire with 2-point barbs. It is put up only in 80 rod spools and sold by the spool. This wire will not stand quite as much strain, yet it gives practically as good satisfaction as the heavier and more expensive wire. The barbs are 3 inches apart in Hog wire and 5 inches apart in Cattle wire.

Hog wire, per 80-rod spool, (avg. wt. 55 lbs.) **\$2.90**
Cattle wire, per 80-rd. spool, (avg. wt. 52 lbs.) **2.65**



Eureka Barbed Wire 2-Point

Eureka Barbed Wire is made of No. 13 Heavily Galvanized Open Hearth steel wire with 2-point barbs. It is put up only in 80 rod spools and sold by the spool. The weight and strength of this wire is between the light and heavy wire and it gives the best of satisfaction and service. The barbs are 3 inches apart in Hog wire.

Hog wire, per 80-rd. spool, (avg. wt. 70 lbs.) **\$2.90**



Glidden Barbed Wire 2-Point

Glidden Barbed Wire is made of No. 12 Heavily Galvanized Open Hearth steel wire with 2-point barbs. It is put up only in 80 rod spools and sold by the spool. The barbs are 3 inches apart in Hog wire and 5 inches apart in Cattle wire.

Hog wire, per 80-rd. spool, (avg. wt. 87 lbs.) **\$4.15**
Cattle wire, per 80-rd. spool, (avg. wt. 83 lbs.) **3.90**

We guarantee that each spool of Barbed Wire contains 80 rods, but the weights given are only approximate, and are not guaranteed to be exactly correct. The weights are merely shown to enable our customers to estimate the freight charges.

Fence Staples



For the convenience of our customers and to protect them against having to pay an excessive price for staples to erect our fencing we now put up 1 1/2, 1 1/4 and 1 1/2 inch galvanized staples in 10 and 25 pound bags, and sell them by the bag.

Price per 10 lb. Bag. **\$.55**
Price per 25 lb. Bag. **1.40**
Price per 100 lb. Bag. **5.10**

Brace Wire

To erect woven wire fencing in a proper manner, it is necessary to use wire to brace the corner, end and gate posts. To save our customers trouble in securing and paying local dealers an excessive price for stay wire, we put up No. 9 soft Open Hearth steel wire, galvanized, in 10 and 20 pound coils (about 170 feet in the 10 lb. coil) and sell it by the coil.



Price per coil 10 lbs., **\$.55** Price per coil 20 lbs., **\$1.10**

Perfection Steel Fence Posts

Perfection Steel Posts are very strong and long lasting. They are made from the finest quality angle steel of high carbon. The steel is tough and of great tensile strength, yet flexible and springy.

The design and weight of Perfection Posts makes them much stronger than an ordinary fence post. They withstand heavy strain and possess great strength. It is almost impossible to break or bend these posts. This is a great advantage over light iron posts or concrete posts. The posts are punched to receive any wire fence and the manner of attaching the fence is very simple. Ordinary staples can be driven in the holes and clinched on the inside of the post by a blow of the hammer. Wire can also be used in fastening the fabric.


SAVING IN NUMBER OF POSTS. These posts are so strong and durable that you can safely set them a rod apart.

POSTS ARE DRIVEN. On account of the shape and strength of our posts, and the special point, the expenses and hard labor of digging holes is done away with. The ground packs firmly against the post, and the special anchor doubly serves to hold the post in position. Perfection Posts should be driven a depth of 24 inches in the ground but in some localities 20 inches may be sufficient.

LINE POSTS. Our metal line posts are No. 10 gauge (9-64-in thick.)

END AND CORNER POSTS. The end and corner posts are No. 3 gauge (1/4-in. thick) and are furnished with brace post and cross brace, all made from 2 x 2 x 1/4 inch material.

POSTS ARE PAINTED. These posts are painted with a good quality of paint, giving them a good hard surface which is both lasting and presents a neat appearance.



SPECIFICATIONS

Kind	Size	Length	Weight	Price
Line Post	No. 10 gauge	6 ft.	7.1 Lbs.	\$.40
Line Post	No. 10 gauge	7 ft.	8.3 Lbs.	.44
Line Post	No. 10 gauge	8 ft.	11 Lbs.	.51
End Post	No. 3 gauge	7 ft. 8 in.	60 Lbs.	2.25
Corner Post	No. 3 gauge	7 ft. 8 in.	92 Lbs.	4.75

BE SURE TO INCLUDE WITH YOUR ORDER WHAT STEEL POSTS YOU NEED.



Cronk's Pliers and Benders

This surpasses any plier on the market for cutting and bending wire, and can also be used as Hill's Hog Ringer. They are especially adapted to farmers' use in building wire fences, etc. They cut barbed wire, barbed belt or any kind of wire used for fencing purposes. By passing the wire through the pliers the wire is held after it is cut. Size 8 inch.

Price, each \$1.00



Pliers and Staple Pullers each, \$1.25

This fence tool is needed by all who build or repair wire fence. It is made with two staple pullers, two hammers and two Button Cutters. They are of the same weight (1 1/2 lbs.) as the No. 1 1/2 Maydole Hammer, and are made from the best forged steel.



Favorite Post Hole Digger

This is one of the strongest and best split handle post hole diggers on the market. The blades of the Favorite Post Hole Digger are made from solid cast steel thoroughly tempered, and the shanks are of high quality malleable iron. The handles are longer and larger than generally used, and they are made from selected and seasoned hard wood. The workmanship is of the very best and the digger is nicely finished. It has proven exceptionally popular and we guarantee it fully. Weight, 10 pounds.

Price, each \$1.45




Illinois Post Hole Auger

Strong, durable, simple and easily operated. Furnished complete with the handle. Bores holes 9 in. in diameter.

Price, each \$1.40

Include what staples, brace wire and fence tools you will need in erecting your fence at our factory prices and save money




Interlocking Lawn and Garden Fence

THIS neat design of Interlocking Lawn Fence is made both from light and heavy wire, the light weight of No. 11 and the heavy of No. 10 Open Hearth steel wire, heavily galvanized. The mesh or opening is $2\frac{1}{4}$ in. square. Turns everything except small chicks. Strong enough to turn all kinds of stock handsome enough for a yard or lawn fence, and is used extensively for this purpose. Makes an excellent garden and cemetery Fence. No baseboard or top rail is required, however, some customers are placing an ordinary 2x4 neatly sawed in the posts about four inches from the top, adding strength and appearance. The Fence is stapled to posts as any ordinary Fence. Is very easily erected and can be stretched with an ordinary block and tackle. If desired, the wires on top of the margin can be turned over, producing a smoother and also neater looking top. This Fence is sure to please, for there is not a better Fence made for the above purpose. Furnished in any length rolls up to 10 rods.

Prices for Interlocking Lawn Fence

No. A36—36 inches high, No. 11, weight per foot $1\frac{1}{4}$ lbs.	Price per ft. 13 c
No. A42—42 inches high, No. 11, weight per foot $1\frac{1}{2}$ lbs.	Price per ft. 14 c
No. A48—48 inches high, No. 11, weight per foot 2 lbs.	Price per ft. 15 c
No. B36—36 inches high, No. 10, weight per foot 2 lbs.	Price per ft. 15½ c
No. B48—48 inches high, No. 10, weight per foot $2\frac{1}{2}$ lbs.	Price per ft. 18 c



Interlocking Drive Gate


Our Interlocking Gate is made of strong T steel. Frame of gate is made of one piece of $1\frac{1}{2}$ x $1\frac{1}{2}$ x 3-16 inch T steel bent to the proper form. The center vertical brace is made from $1\frac{1}{4}$ inch flat steel bar and $2\frac{1}{4}$ inch mesh fabric securely fastened to the frame. The hinges are securely riveted to main frame. With each gate we furnish a pair of wrought steel lag-screw hinges, which can be screwed into the post after boring a hole of the proper size. The fastening at the front end consists of a hook and staple. In placing the posts for the gate the distance between the posts should be 5 inches greater than the width of the gate, thus allowing sufficient space for the hinges and permit the gate to swing either way. Frame is painted black and Interlocking farbric galvanized. Weight 90 pounds.

No. A1251—12 foot gate 51 inches high.....
No. B1051—10 foot gate 51 inches high.....

Interlocking Lawn Gate

Our Interlocking Lawn Gate is a first-class lawn gate in every respect. Frame is made of 1x1x3-16 inch T steel, with center brace $1\frac{1}{4}$ inch steel with heavy $2\frac{1}{4}$ inch mesh Interlocking fabric securely fastened to the frame, making a very substantial chicken-proof gate. Scroll ornament is made of band steel and securely fastened to frame. Hinges are riveted to frame. Wrought lag-screw hinges and gate latch for wood posts are furnished with each gate.

No. A3636—36x36 inches high, (30 pounds).
No. A3642—36x42 inches high, (31 pounds)
No. A3648—36x48 inches high, (33 pounds).




Order by Number

Order Lawn Fences and Gates by number. The number not only indicates the style and height of fabric, but also style, height and width of gates.

W. Clark Girtton, Berwick, Pa., writes: "I erected lawn fence on lot in town which is getting many favorable expressions."


Ornamental Lawn Fence

OUR ornamental Fence Fabrics combine beauty, strength and durability. You may be thinking of Fencing your lawn, garden or barnyard with a some what better Fence than an ordinary field Fence, or you may want to change your present Fence and put up one of these neat, attractive designs. A good lawn fence will add beauty and a pleasing appearance to your residence and property, and with only a reasonable amount invested you can greatly improve the looks of your property and add to its value. You evidently would have pride in a neatly kept lawn and with these fences are enabled to keep small stock, poultry, etc., from your yard, garden and flower beds. These Lawn Fences are made from the best Open Hearth steel galvanized wire, insuring durability.




Net Prices Style "C" Fabric

No. C30—30 inches high.	12 c per foot
No. C36—36 inches high.	13½c per foot
No. C42—42 inches high.	17½c per foot
No. C48—48 inches high.	18 c per foot



Net Prices Style "D" Fabric

No. D30—30 inches high.	16½c per foot
No. D36—36 inches high.	18½c per foot
No. D42—42 inches high.	22 c per foot
No. D48—48 inches high.	24½c per foot



Net Prices Style "E" Fabric

No. E30—30 inches high.	8¾ per foot
No. E36—36 inches high.	9½ per foot
No. E42—42 inches high.	12 c per foot
No. E48—48 inches high.	12½ per foot

(For Prices on Metal Posts—see page 23)

Style "C" Fabric

The pickets on this fabric are formed by twisting two No. 11 wires together and after they are properly shaped are overlapped and intertwisted with the cable line wires by a series of right and left twists, forming an exceptionally strong and firm fabric. The size of the line wires used in the manufacture of this style is No. 12 gauge and is protected by a heavy coat of galvanizing. The alternate twists provide for expansion and contraction, thus keeping the fabric straight and tight during all seasons of the year. The Fence is woven close enough to turn poultry. This style "C" Fabric is a very neat, attractive design, making a serviceable and popular Fence and would improve your property wonderfully. The average weight is two pounds per foot, depending on the height. Can be used for wood or steel posts. Gates are furnished to match.

Style "D" Fabric

This style "D" Fabric is one of the strongest and most satisfactory Lawn Fences we offer. The upright pickets are No. 11 gauge wires twisted together and the cable line wires are No. 12 wire, all being heavily galvanized. It is woven close enough to give protection against poultry. Certainly it is not economy to use wood pickets when this handsome and durable Fence can be secured at these low prices we quote. Can be used on wood or metal posts. We do not furnish wood posts but suitable ones can be purchased from almost any lumber dealer. Gates are furnished to match the fabric. Average weight about 3¼ pounds per foot, depending on the height.

Style "E" Fabric

The upright pickets of this fabric are made from No. 9 gauge galvanized steel wire corrugated which are woven into a close, handsome and substantial fence by alternate right and left twists in the No. 12 galvanized cable line wires. Pickets are 2¼ inches apart. The large number of cable line wires insures great strength and the close spacing of pickets makes the Fence proof against poultry, pigs and all small animals. It may be used satisfactorily either with or without railing. Can be used on wood or metal posts. Gates furnished to match. Average weight is 2 pounds per foot.

INTERLOCKING FENCE CO., MORTON, ILLINOIS

SPECIAL NOTICE. All orders for complete Lawn Fence must be accompanied by a diagram showing the position and measurements of fence, as well as the size and location of gates, as here illustrated.

40 feet

Gate
3 ft.

57 feet

How to Figure Cost of Complete Lawn Fence

To figure the cost of 97 feet of Style "G" Complete Lawn Fence, 30 inches high, and one ornamental gate 3 feet wide, as per diagram above, proceed as follows:

97 feet of Style "G," 30 inches high at cents per foot. **\$56.44**

1 Ornamental Gate 3 feet wide and 27 inches high. **2.75**

Total cost of complete Fence and Gate. **\$59.19**



Style "G" Complete Lawn Fence

This is one of the most ornamental, substantial and durable lawn Fences ever offered. The fabric is of a beautiful design and woven close enough to turn poultry. The pickets are made by twisting together two strands of No. 11 galvanized wire and after being properly shaped these pickets are woven into a strong and substantial fabric by a succession of right and left twists in the No. 12 cable line wires. The end, corner and gate posts measure 1 1/4 inches outside diameter while the line posts are 1 1/4 inches outside diameter and are set as nearly 7 feet apart as the spaces will divide. All posts are made of heavy

weight pipe of the best quality and fitted with large cast bases which hold them firmly and prevent freezing out of the ground. The railing is 1 1/4 inches outside diameter (see below for extra cost 1 1/4 inch railing) and is continuous, instead of being cut at each post, thus keeping all posts in line with one another effectually bracing the whole structure. Some manufacturers use light weight tubing for posts and railing which is neither strong nor durable. The heights of fence given below represents the distance between the bottom of fabric and braided cable wire above railing. Average weight 8 1/2 pounds per foot.

30-inch fence, 24-inch fabric.
36-inch fence, 30-inch fabric.
42-inch fence, 36-inch fabric.

Style "G" Complete Lawn Fence


48c per ft.
53c per ft.
55c per ft.

48-inch fence, 42-inch fabric.
54-inch fence, 48-inch fabric.

60c per ft.
65c per ft.

Gates cost extra.

If 1 1/4 inch outside diameter top rail is wanted on Style "G", instead of 1 1/2 inch, we will furnish the same at 2 cts. per foot extra.



Style "H" Complete Lawn Fence

This beautiful fence is made of the same high grade material and constructed in the same manner as style "G," shown above, except that the railing is crowned with crestings of a very handsome pattern. These crestings are made of high

quality tough malleable iron. The heights of fence given below represent the distance between the bottom of fabric and top of crestings. Average weight 9 1/4 pounds per foot.

Style "H" Complete Lawn Fence

30-inch fence, 24-inch fabric.
36-inch fence, 30-inch fabric.
42-inch fence, 36-inch fabric.
48-inch fence, 42-inch fabric.


58c per ft.
64c per ft.
67c per ft.
72c per ft.

54-inch fence, 48-inch fabric.

75c per ft.

See top of page for example how to figure net cost.
Gates cost extra.

Ornamental Single Lawn Gate



The frame of our Lawn Gate is high grade steel tubing 1½ inches outside diameter and the galvanized wire fabric is artistic in design and poultry proof. When Lawn Gates are ordered with lawn fence we use in them the same style of fabric as fence, but when ordered separately the style of fabric shown


in above cut is used. Plain Lawn Gates do not have the scroll ornament on top of frame. Hinges and latch for wood posts or for tubular posts, 1¼ or 2½ in. outside diameter, are furnished with each gate. Set posts 3½ inches farther apart than width of gate ordered.

	Width	Height	Weight	Ornamental
No. D333	— 3 feet	27 and 33 in.	24 lbs. \$ 2.25
No. D345	— 3 feet	39 and 45 in.	28 lbs. 3.00
No. D351	— 3 feet	51 and 54 in.	30 lbs. 3.20

If plain gates are wanted, deduct 15 cents from the prices of Single Lawn Gates and 20 cents from prices of double Drive Gates.

SPECIAL NOTICE. When gates are ordered with lawn fence fabric always specify them three inches higher than fabric. For example, if style "C" fabric 36 inches high is ordered you should order gate 39 inches high. The reason for this is that frame of gate must be three inches higher than the fence fabric so that fabric of gates and fence may be same height.


Ornamental Double Drive Gate



The frames of our Double Drive Gates are made of high grade steel tubing 1½ inches outside diameter, while the galvanized fabric is poultry proof and artistic in design. When Double Drive Gates are ordered with lawn fence we use in them the same style of fabric as fence, but when ordered separately the style of fabric shown in above cut is used. All width double gates are braced diagonally with a No. 9 galvanized wire and the 12 foot width is also braced in the center with a ¾-inch upright pipe, as shown in cut. Plain Gates do not have the scroll ornaments on top of frames. Hinges and latch for wood posts or for tubular posts 1¼ or 2½ inches outside diameter, furnished with each gate. Posts should be set 5 inches farther apart than width of gate ordered.

	Width	Height	Weight	Ornamental
No. D833	— 8 feet	27 and 33 in.	51 lbs.	\$ 6.00
No. D837	— 8 feet	39 in.	52 lbs.	6.75
No. D845	— 8 feet	45 in.	64 lbs.	6.85
No. D851	— 8 feet	51 in.	70 lbs.	7.35
No. D854	— 8 feet	54 in.	76 lbs.	7.45
No. D1033	— 10 feet	27 and 33 in.	60 lbs.	6.65
No. D1039	— 10 feet	39 in.	66 lbs.	7.50
No. D1045	— 10 feet	45 in.	72 lbs.	7.60
No. D1051	— 10 feet	51 in.	78 lbs.	8.15
No. D1054	— 10 feet	54 in.	84 lbs.	8.25
No. D1233	— 12 feet	27 and 33 in.	68 lbs.	7.80
No. D1239	— 12 feet	39 in.	74 lbs.	8.90
No. D1245	— 12 feet	45 in.	80 lbs.	9.00
No. D1251	— 12 feet	51 in.	86 lbs.	9.75
No. D1254	— 12 feet	54 in.	92 lbs.	9.85

Universal Walk Gate




This gate is suitable for any home. Strong, serviceable, with pleasing ornamental design. For homes, for front and back yards, for garden gates, etc.

Frames are of steel tubing, 1½ inches outside diameter. The fabric is of large, heavily galvanized wire, close mesh, with No. 9 picket wires, spaced 1½ inches apart at bottom and about 2½ inches at top, making this gate chicken proof. Frames are painted black. Furnished with hinges and latch for wood posts and for openings as listed below. Furnished only with fabric as illustrated.

No.	Opening Feet	Height	Weight	
U3636.	36 in.	3 ft.	19 lbs.	\$1.95
U3642.	36 in.	3½ ft.	20 lbs.	2.05
U3648.	36 in.	4 ft.	22 lbs.	2.15
U3660.	36 in.	5 ft.	25 lbs.	2.90
U4242.	42 in.	3½ ft.	21 lbs.	2.25
U4248.	42 in.	4 ft.	23 lbs.	2.35
U4260.	42 in.	5 ft.	26 lbs.	3.20
U4848.	48 in.	4 ft.	29 lbs.	2.75
U4860.	48 in.	5 ft.	33 lbs.	3.70

Universal Adjustable Farm Gate




The lateral bars of the frame are steel tubing, 1½ inches outside diameter, end bars are heavy steel "U" shaped. The top and bottom bars are bolted directly to the U-bars, making a positive flexible joint. Center bars are made of two pieces channel steel securely bolted around frame at top and bottom and trussed in center to withstand shock and strain. The fabric is heavy all No. 9 (6-in. stay) galvanized wire. Barbed wire is furnished at top as illustrated.

Adjustable truss rod raises front end of gate 30 inches and hinge end can be raised 12 inches. This permits hogs, sheep, etc., to pass under freely while large stock are barred. Snow bank troubles in winter are easily overcome. Price includes hinges and latch for wood posts. Complete ready to hang, painted or galvanized.

Height, Inches	Opening Feet	Approximate Weight	U. P. 1916 Painted Frame	U. G. 1917 Galvanized Frame
54	10	90		8.95
54	12	110		10.00
54	14	120		11.75
64	16	135		12.45

**Save
Money
on
Your
Gates**



Interlocking Standard Farm Gate

THE frame of our Interlocking Farm Gate is $1\frac{1}{8}$ inches outside diameter, steel tubing. One $\frac{3}{4}$ -inch upright center brace, which prevents the gate from spreading and makes it very rigid. A No. 9 galvanized wire is placed diagonally across the frame to strengthen it. The frame is covered with our Crown square mesh heavy fence No. 50 as shown on page 12 and which is heavily galvanized to prevent rusting. The frame is covered with black paint. This is positively the best gate ever sold for the money. Hinges are furnished for wood posts. Made 52 inches high and 10, 12 and 14 feet long. Average weight about 70 pounds.

No. F1052—10 feet wide, 52 inches high.


No. F1252—12 feet wide, 52 inches high.

No. F1452—14 feet wide, 52 inches high.

\$6.15

7.25

8.45



Illinois Farm and Drive Gate

The frame of our Illinois Farm and Drive Gate is $1\frac{1}{8}$ in. outside diameter, steel tubing. One $\frac{3}{4}$ in. outside diameter upright brace making the gate rigid and firm. For filling we use our No. 11 heavy weight Interlocking Lawn fabric with a $2\frac{1}{4}$ in. mesh, the wire being heavily galvanized to prevent rusting. The frame of the gate is painted black. Hinges and latch furnished for wood posts. This makes a splendid gate for entrance to your lawn, barnyard, etc., and the price we quote is a bargain for this gate.

Average shipping weight about 75 pounds.

No. I-1052—10 feet wide, 52 inches high.

No. I-1252—12 feet wide, 52 inches high.

\$7.35


8.75

Setting Posts for Farm Gates.—Posts should be set 5 inches farther apart than the width of the gate to allow for hinges and latch.

Our Factory prices on these gates are extremely low for the quality furnished. You cannot afford to pay high prices for gates when we make it possible to buy good guaranteed gates at these figures. Be sure to include several in your order.

Purchased Farm Gate.

Mr. Almond E. Wickard, Greenfield, Ind., writes: I received the gate today and am well pleased with it. I think that I will buy some 10x52 gates a little later on. Thanking you very much.



Interlocking Poultry and Walk Gate

Frame is made of $1\frac{1}{8}$ inch outside diameter steel tubing. The frame is covered with our lawn fabric and will turn poultry as well as all other small animals. This makes a very substantial, durable and neat gate. Hinges and latch for wood posts are furnished with each gate.

No. P336—3 feet wide, 36 inches high.

No. P342—3 feet wide, 42 inches high.

No. P348—3 feet wide, 48 inches high.

No. P360—3 feet wide, 60 inches high.

Average weight about 20 pounds.

\$2.25

2.50

2.60


2.95

The Best He Ever Saw for the Money

Mr. C. M. Pritchett, Greensboro, N. C., writes: I am sending you check for wire received today and will say that I am well pleased with it. I think it is the best that I ever saw for the money.

Description

**Buy Direct from the
Manufacturer at
Factory Prices**



**Samson
No. M 101
(One Tub)**

**Stop Washing and Wringing Clothes
the Old Way**

Make Washing a Pleasure.—Let one of these Washers do this dreaded, back-aching, tiresome work of washing and wringing clothes. Washing is work for machinery, and to do it the old fashioned way is a waste of labor, nerve, time and money. Instead of **ruining your health** by standing over the washer or tubs with steaming hot water for hours, these Power Washers will wash your clothes a snowy white and do all of your wringing quickly, easily and with little expense.

Washes and Wrings at the Same Time

These machines will do the washing while you are doing the wringing, being operated simultaneously, or will wash the clothes while you may be away attending to other household duties.

Our Guarantee

We guarantee our Washers to be constructed from good material throughout. We will replace **free of charge** any casting that will prove defective within one year, from date of purchase.

Free Trial Offer

You may not be able to fully appreciate the advantage of such a labor saving Washer with **at a trial**. We are so confident you would be pleased to see the wonderful **saving of time and labor** by owning such a Washer, that you may test out any machine for 14 days. If at the end of that time you do not find the Washer satisfactory and as represented you may return it to us, we will refund your money and pay the freight. **Do you know of a fairer deal?**

Our Factory Prices

Samson Stave Leg No. M-101 (1 tub) complete with wringer. (Weight, 170 lbs.).....
Complete with motor, cord and plug. (Weight, 210 lbs.).....
Complete with 1½ H. P. gas engine and belting. (Shipping weight, 435 lbs.).....
Samson Steel Frame No. M102 (2 tub) complete with wringer. (Weight, 235 lbs.).....
Complete with motor cord and plug. (Weight, 275 lbs.).....
Complete with 1½ H. P. gas engine and belting. (Shipping weight, 495 lbs.).....

We furnish a 1-5 h. p. motor complete with cord and plug to be attached to an ordinary light socket. When ordering mention whether direct or alternating current, and give voltage and cycles.

You can make washing a pleasure by using our Samson Power Washer. It washes and wrings at the same time. You can do your washing and wringing easily, quickly and with little expense. It is easily operated and can be run with a one horse power engine or an electric motor.

The Main Driving Mechanism is mounted under the main frame of the Washer. The main drive pulley for operating with an engine is 11½ in. in diameter, with a 2-in. face. For motor operation a 16½-in. grooved pulley is used. The drive shaft should run 200 revolutions per minute. The Washer is operated by means of a rack bar which furnishes a smooth, steady, quiet running machine.

By raising the rack-bar the washer stops, and by lowering it starts. The Washer is also stopped by means of a clutch improvement, fastened on the side of the tub, as illustrated. This Washer is operated exclusively by gears, eliminating the unavoidable troubles arising from belts.

We have an extra large size dolly which is adjustable, the shaft raising up through the lid of the Washer.

The capacity of the tub is 18 gallons. It is best Southern cypress, corrugated sides and bottom. Inside measurements are 22½-in. diameter at bottom and 12¾-in. high.

We have a special improved screw plug type water drain with rubber hose attachment.

The Swinging Power Wringer. This feature strongly appeals to the busy housewife, enabling you to wring all of the clothes by power. The powerful wringer is operated by concealed gears; it swings to and locks over the different tubs. You can thus wring the clothes from the Washer into the rinse tub, from the rinse tub into the bluing water, and into the clothes basket. The wringer can be stopped, started and reversed almost instantly by use of the conveniently arranged lever. The wringer is well braced and supported. The Wringer is a two roll solid weight rubber (10x1¼-in. rolls) reversible wringer, adjustable by screws and springs.

The Steel Frame—1x¾x¾ channel iron is used for the main frame, which stands 16-in. high, is 23½-in. wide and 43-in. long. The Tub is fastened to the frame by lugs and bolts. The sliding racks are strong and actually hold a tub of water. The Stave leg type has a wood brace and a special ¼-in. rod brace to insure durability.

Adjustable Height Platform is furnished on all steel frame washers, furnishing a maximum of comfort to suit the requirements of the user.

A Special Feature which will strongly appeal to the busy housewife is that the washer and wringer can be operated by hand should the power fail. A wood handle for this purpose is included in the price.

Cost of Operation. You can do a week's washing for only a few cents' worth of gasoline or a few cents' worth of electric current. Figures hardly worth mentioning.



Samson Steel Frame, 2 tub, No. M102

Honest Goods at Honest Prices

If you wish to deposit the purchase price in The Morton State Bank during the 30 days' trial of the fence, as per Plan of Purchase No. 3, fill out the following and send direct to the bank with the amount.

Bank Deposit Letter

FOR USE OF CUSTOMERS

THE MORTON STATE BANK,
Morton, Illinois.

Date 191...

Gentlemen:-

Enclosed please find for \$..... which amount I deposit in your bank, subject to the conditions named in my order to the Interlocking Fence Co., the money to be held by you during a thirty day trial of the fence I am ordering. If the fence proves satisfactory after 30 days' trial, the above amount to be paid to the Interlocking Fence Co. Should the fence prove unsatisfactory, I will send you railroad freight receipt showing return of the fence and on receipt of same the above amount to be returned to me. Yours truly,

Name

County P. O. Address

Railroad Station State

Certificate of Deposit

If you wish to deposit the purchase price in a local bank of your own choice, as per plan of purchase No. 4, have your banker fill out and sign this Certificate and you send it direct to us with your order.


INTERLOCKING FENCE Co., Town..... State
Morton, Illinois. Date

Mr. has deposited \$.....
with us in payment of

Said amount is subject to the following conditions: It is understood and agreed that purchaser is to have free use of the fence for 30 days from the time of its receipt. If this 30 days' use and test is satisfactory, the amount remitted becomes the property of the Interlocking Fence Co. If for any reason the fence is unsatisfactory, the same to be rolled up in good shape and delivered to railroad freight agent, taking therefor the usual freight receipt from the railroad agent.

We agree to hold the money during the 30 days' trial, which trial dates from the time of the receipt of the fence. If at the end of that time the fence has not been returned, as agreed in the order, this money to become your (Interlocking Fence Co.) property and we will remit same to you promptly by New York, Chicago or St. Louis Draft without charge for exchange.

If the fence is returned to you we will refund the money to the depositor upon delivery to us of railroad shipping receipt showing that the same has been returned to the Interlocking Fence Co., Morton, Illinois. In such case we will notify you at once and send the shipping bill.

 This deposit is
subject to draft at
the end of 30 days'
trial.

Signed

NAME OF BANK

By

NAME OF BANK OFFICIAL

Order Blank

Leave this Space blank

Date.....19...

Interlocking Fence Co., Morton, Ill.

Gentlemen:—Please ship at once the following:

.....Rods of Style No.....Fence at.....c per rod.....\$.....
Rods of Style No.....Fence at.....c per rod.....\$.....
Rods of Style No.....Fence at.....c per rod.....\$.....
Rods of Style No.....Fence at.....c per rod.....\$.....
Rods of Style No.....Fence at.....c per rod.....\$.....
25 pound Bag of.....inch Galvanized Staples.....\$.....
Keg of inch Galvanized Staples\$.....
80 rod spools of Glidden Hog Barbed Wire.....each.....\$.....
80 rod spools of Glidden Cattle Barbed Wire.....each.....\$.....
80 rod spools of Eureka Hog Barbed Wire.....each.....\$.....
80 rod spools of Special Hog Barbed Wire.....each.....\$.....
80 rod spools of Special Cattle Barbed Wire.....each.....\$.....
Interlocking Stretcher.....\$.....
Giant Fence Stretcher.....\$.....
Can't Slip Wire Stretcher.....\$.....
Coils No. 9 Brace Wire.....pounds each.....\$.....
Cronk's Pliers and Staple Pullers.....\$.....
Cronk's Pliers and Benders.....\$.....
Favorite Post Hole Digger.....\$.....
Illinois Post Hole Auger.....\$.....
Interlocking Splicer.....\$.....
Gate No.....\$.....
Gate No.....\$.....
Gate No.....\$.....
Feet of No.....Interlocking Lawn Fence.....in. high.....\$.....
Feet of No.....Ornamental Fabric.....in. high.....\$.....
Feet of No.....Complete Lawn Fence.....in. high.....\$.....
Metal Line Posts.....Ft. Long.....\$.....
Metal End Posts.....Ft. Long.....\$.....
Metal Corner Posts.....Ft. Long.....\$.....
Samson Power Washer.....(No.....).....\$.....

Total, \$.....

I am making this purchase under plan No. (See page 3 of this catalogue.)

If purchasing under Plan 2, give name of Bank or Express Office, where you prefer paying balance due.

It is understood and agreed that I am to have free use of the fence for 30 days from the time I receive it. If this 30 days' trial is satisfactory then the purchase money becomes your (INTERLOCKING FENCE CO.'S) property. If at the end of 30 days I do not find the fence as represented, or for any reason it is unsatisfactory, I agree to deliver same to the railroad freight agent at the station named below, taking freight receipt for same from the railroad agent, which I will send to you or deliver to bank as per plan of purchase indicated above. When you receive the freight receipt, showing return of the fence in good order, except such evidence of wear and handling as would result from its use during the 30 days' trial, you agree to return the full amount of money paid you, at once, free of all charges.

Name

Shipping Point

County..... State.....

My Post Office Address is.....

R. F. D.....County.....State.....

Name of Railroad on which }
my shipping point is located }

Is There a Freight Agent at Your Station?... If not, freight charges must be prepaid and provision for same should be made in your remittance. Goods cannot be shipped C. O. D. to a point where there is no Railroad Agent. All shipments to Boat Landings must be prepaid and the goods cannot be shipped C. O. D.

WRITE NAME AND ADDRESS PLAINLY

Do not write in this
space

Adv.

Inq.

Freight Rates

The freight charges on fence will amount to very little compared with what you save in price. Below we give freight rates to different towns in different states, and by referring to the rate to the point nearest you and figuring the weight of the fencing, you can tell almost exactly what the freight charges will amount to on any fencing you order.

Following are the rates per hundred pounds on fencing less than car load from Morton Illinois, to places named.

ALABAMA		ILLINOIS		MINNESOTA		NORTH CAROLINA		TENNESSEE	
Ashby	\$.85	Cairo	\$.25	Albert Lea	\$.40	Charlotte	\$.60	Bristol	\$.51
Birmingham	.55	Danville	.17	Crookston	.79	Raleigh	.55	Chattanooga	.53
Decatur	.55	Freeport	.16	Duluth	.44	Salisbury	.60	Knoxville	.55
Mobile	.45	Joliet	.15	Edgerton	.47	North Wilkesboro	.64	Memphis	.35
Montgomery	.65	Peoria	.67	Marshall	.55	Wilmington	.47	Nashville	.33
ARIZONA		Quincy	.20	MISSISSIPPI		NORTH DAKOTA		TEXAS	
Benson	\$2.09	Springfield	.14	Jackson	\$.54	Bathgate	\$.87	Ablene	\$1.16
Flagstaff	2.09	Chicago	.19	Meridian	.54	Bismarck	1.05	Austin	1.16
Phoenix	2.09	INDIANA		Mississippi City	.45	Fargo	.77	Beaumont	1.16
Prescott	2.09	Elkhart	\$.21	Natchez	.45	Grand Forks	.80	Corpus Christi	1.16
Tucson	2.09	Goshen	.21	Vicksburg	.45	Jamestown	1.05	Dallas	1.16
Yuma	2.43	Indianapolis	.19	MISSOURI		Minot	1.17	El Paso	1.34
ARKANSAS		Lafayette	.19	Chillicothe	\$.40	Wahpeton	.73	Houston	1.16
Ft. Smith	\$.87	New Albany	.21	Hannibal	.20	OHIO		Laredo	1.34
Hot Springs	1.05	Terre Haute	.19	Jefferson City	.37	Canton	\$.26	San Antonio	1.16
Little Rock	.77	IOWA		Kansas City	.40	Cincinnati	.21	UTAH	
Newport	.70	Burlington	\$.16	Poplar Bluff	.54	Cleveland	.26	Frisco	\$2.55
Pine Bluff	.77	Centerville	.35	St. Joseph	.40	Columbus	.24	Milford	2.50
Texarkana	1.08	Council Bluff	.40	St. Louis	.18	Lima	.22	Nephi	1.90
Van Buren	.87	Davenport	.17	Springfield	.45	Portsmouth	.26	Ogden	1.72
CALIFORNIA		Des Moines	.35	MONTANA		Steubenville	.29	Salt Lake City	1.72
Fresno	\$2.01	Keokuk	.16	Big Timber	\$1.82	Toledo	.24	Thompsons	1.72
Los Angeles	1.75	Mason City	.37	Billings	1.69	Youngstown	.28	VERMONT	
Redding	2.06	Muscataine	.17	Butte	1.85	OKLAHOMA		Bradford	\$.51
Sacramento	1.75	Ottumwa	.31	Glendive	1.42	Atoka	\$1.05	Hartford	.51
San Diego	1.50	Sloux City	.45	Livingston	1.85	El Reno	1.02	VIRGINIA	
San Francisco	1.50	Webster City	.42	Missoula	1.93	Eufaula	.87	Lexington	\$.44
Ukiah	1.88	KANSAS		NEBRASKA		Guthrie	1.02	Richmond	.44
COLORADO		Topeka	\$.59	Ainsworth	\$1.01	Kingfisher	1.02	Salem	.44
Denver	\$1.06	Hutchinson	.86	Crawford	1.32	Kiowa	.95	Suffolk	.44
Grand Junction	2.16	Lowmونت	.40	Hastings	.78	Oklahoma City	1.02	WASHINGTON	
Greeley	1.08	Parsons	.60	Lincoln	.44	Wagner	.85	Colfax	\$2.09
Gunnison	1.89	Newton	.85	Ogallala	1.10	OREGON		Kalama	1.85
Pueblo	1.06	KENTUCKY		Omaha	.40	Arlington	\$2.26	Olympia	1.75
Trinidad	1.06	Louisville	\$.22	O'Neill	.83	Baker City	2.09	Pomeroy	2.09
CONNECTICUT		Paducah	.21	Valentine	1.06	La Grande	2.09	Spokane	2.09
Bridgeport	\$.51	LOUISIANA		NEVADA		Portland	1.75	Tacoma	1.75
Hartford	.51	Baton Rouge	\$.45	Carson City	\$2.34	Roseburg	2.25	W. VIRGINIA	
New Haven	.51	New Orleans	.45	Elko	1.99	Salem	1.93	Charleston	\$.29
New London	.51	Shreveport	1.07	Reno	2.09	PENNSYLVANIA		Grafton	.31
Willamantic	.51	MAINE		NEW HAMPSHIRE		Erie	\$.29	Harper's Ferry	.42
DELAWARE		Augusta	\$.51	Concord	\$.51	Harrisburg	.45	Wheeling	.29
Dover	\$.47	Bangor	.51	Keene	.51	Philadelphia	.45	WISCONSIN	
Newark	.45	Eastport	.61	Portsmouth	.51	Pittsburgh	.29	Ashland	\$.44
Wilmington	.45	Lewiston	.51	NEW JERSEY		Seranton	.45	Beloit	.26
DIST. OF COL.		Portland	.51	Newark	\$.47	Sharpville	.28	Chippewa Falls	.40
Washington	\$.44	MARYLAND		Trenton	\$.47	RHODE ISLAND		Grand Rapids	.34
FLORIDA		Annapolis	\$.50	NEW MEXICO		Newport	\$.51	Green Bay	.34
Gainesville	\$1.03	Baltimore	.44	Albuquerque	\$1.75	Providence	.51	Hurley	.44
Jacksonville	.73	Hagerstown	.44	Deming	1.74	SOUTH CAROLINA		Madison	.26
Pensacola	.45	MASSACHUSETTS		Dillon	1.40	Charleston	\$.73	Milwaukee	.17
Tallahassee	.93	Boston	\$.51	Hermanas	1.74	Columbia	.68	Prairie Chien	.33
Tampa	1.01	New Bedford	.51	Las Vegas	1.75	Florence	.67	Superior	.44
GEORGIA		Springfield	.51	Lordsburg	2.00	Greenville	.70	Wausau	.34
Atlanta	\$.67	Worcester	.51	Santa Fe	1.75	Ridgeway	.70	WYOMING	
Brunswick	.73	MICHIGAN		NEW YORK		SOUTH DAKOTA		Casper	\$1.70
Macon	.69	Adrian	\$.24	Albany	\$.45	Aberdeen	\$.67	Cheyenne	1.06
Rome	.67	Bay City	.27	Buffalo	.29	Canton	.47	Evanston	1.72
Savannah	.73	Detroit	.24	Elmira	.37	Deadwood	1.35	Green River	1.72
IDAHO		Grand Rapids	.24	N. Y. City	.47	Eureka	.85	Laramie	1.33
American Falls	\$1.85	Kalamazoo	.24	TENNESSEE		Pierre	.80	Rawlins	1.64
Boise City	2.00	Lansing	.24	Chillicothe	\$.40	Redfield	.67	UTAH	
Idaho Falls	1.83	Manistee	.32	Hannibal	.20	Vermillion	.51	Frisco	\$2.55
Moscow	2.09	Marquette	.52	Jefferson City	.37	Watertown	.58	Milford	2.50
Pocatello	1.82	Petoskey	.34	Kansas City	.40	Yankton	.51	Nephi	1.90

How to Figure Freight Charges

In estimating the freight charges on fence you should take the rate shown for the point nearest to your station and multiply the rate by the weight of the articles, as given in our catalogue. In this way you can tell very nearly the exact amount of freight you would be required to pay on the goods. For example, to find the freight charges to Trenton, Missouri, on 100 rods Style No. 43 Fence you should proceed as follows:

Trenton being nearer Chillicothe than to any other point on the list the Chillicothe rate of 40 cents per hundred on Woven Fence should be used in estimating the freight charges.

Weight of 100 rods of No. 43 Fence at 4 1/2 lbs. per rod, 450 lbs. Freight on 450 lbs. at 40 cents per 100 pounds would be \$1.80.

Do What This Man Did

Saved Half With Freight Paid

Mr. Eric A. Schultz, Tryon, Nebr., writes: I am well pleased with your Fence. It cost, with the freight paid, just half what I would of had to pay the local dealer. It is a very good fence, can pull it down in low places when fencing in rough country. When I need more Fence I will buy of you.

There have been increases of about 25% since the above rates were quoted.

SAVE MONEY BY SENDING YOUR ORDER TO US

We Make Prompt Shipment and Guarantee Safe Delivery

Freight Rates

THE prices quoted in this catalogue are for the goods free on board cars at the factory, and we do not prepay the freight at the prices quoted, because they are so low they would not permit it.

No advantage whatever is gained in buying goods freight paid, because the rate of freight is no lower to a large manufacturer than it is to you. There is an extremely heavy penalty for granting and accepting rebates, which you can occasionally read about in the daily papers. It is illegal for the transportation companies to collect higher or lower rates than indicated by published tariffs on file with the Interstate Commerce Commission at Washington, D. C., which are open for the inspection of the public at every regular freight office in the country. Should an overcharge be made in error, the railroad companies are liable according to the law, if they do not refund same within a reasonable length of time after the overcharge has been called to their attention.

Should this occur to you when purchasing goods from us, we will handle the matter for you without a cent of charge and have the amount of overcharge collected from the transportation company.

It makes no difference whether we or any other manufacturer or mail order house selling Fence makes you a delivered price or whether you pay the freight on the Fence upon arrival, because you pay the freight in one form or the other. When you buy goods freight prepaid, you can depend upon paying enough, besides the price of the Fence for the goods to be carried to your railroad station. A manufacturer selling Fence freight prepaid, naturally adds sufficient freight to the price of his goods to warrant him receiving the full freight charges from the customers, and you may be paying the same price for goods as a customer living 100 to 150 miles farther away from the factory, whereas, if you buy fence at the factory you pay the actual freight charges on goods only. Besides if Interstate Commerce causes a reduction in rates in certain localities, you get the benefit of it while if you purchased your goods freight prepaid, you may never get this reduction.

In buying goods from your local dealer you pay the freight on the Fence besides pay him a profit of 15 to 25 per cent.

When Freight Must be Prepaid

The railroad companies compel us to prepay the freight charges when shipments are forwarded to points where there is no freight agent or to Boat Landings. Therefore, if there is no agent at your station or should you desire the goods to be forwarded to a Boat Landing, sufficient amount of money to cover the freight charges should accompany your order.

C. O. D. shipments cannot be made to points where there is no regular freight agent.

We Guarantee Safe Delivery

We assume the risk of delivering your Fence, and should it be lost in transit or damaged, we will see to the railroad company to make good the loss or damage. Should a shipment fail to arrive, notify us, when we will have a tracer started, and should this fail to bring about the desired results, we will duplicate the shipment and charge it to the railroad company—you to pay us for one shipment only. Should the shipment arrive in damaged condition—which is seldom the case with Wire Fence, have the agent make the proper notation on the freight bill, so we can make good the damage.

Through Routing. We take every precaution against error and deliver all shipments to the railroad company in good condition, taking their receipt for same. We secure a through Bill of Lading for each shipment, also the lowest possible Rate of Freight we are able to secure to your place. If there should occur any damage to shipment enroute, shortage, weights changed or overcharge in freight, have railroad agent note same on freight receipt, and in case of change in weight have agent reweigh shipment in your presence and note same on freight receipt before paying any additional charges. Send us the bill of lading and freight receipt showing condition of the shipment and amount of overcharge and we will collect same from railroad company.

Should you desire to know just what **OUR FENCE COSTS YOU DELIVERED, WE WILL QUOTE YOU A PRICE** for the goods laid down at your railroad station, that you may know to the cent what they will cost you. This will incur no obligation whatever.

Our Final Word

Remember, that no matter where you live, you can order Fencing direct from this catalogue. Under no conditions or promises, let anyone lead you to believe they have a better Fence to offer you.

We will ship what Fence you are needing, under our 30 days' free trial offer, and Direct From Factory to User plan. When plain unvarnished facts are placed before a man like you, you will decide rightly—here are the facts. Mail your order today, so your Fence can be shipped out promptly.

Sincerely yours,

INTERLOCKING FENCE CO.

Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY
INTERNATIONAL

www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY


<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Gerron S. Hite

West Texas Collection, Angelo State University, San Angelo, TX

Save the Same Your Money



MAIN OFFICE AND FACTORY.
INTERLOCKING FENCE CO.
MORTON, ILLINOIS.

